

SAFETY DATA SHEET

Revision Date 6/30/2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifiers

Product name : Natural Sand and Stone
Synonyms : Aggregate, Manufactured Sand, Crushed Stone, Gravel

Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Sand and stone aggregate is commonly used in the manufacture of brick, mortar, concrete, pavers and other construction materials.

Details of the supplier of the safety data sheet

Company : Redi-Mix, LLC
Euless, Texas 76039
USA
Telephone : +1 817-835-4105

Emergency telephone number

Emergency Phone # : (800) 424-9300

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin corrosion/irritation (Category 2), H315
Serious eye damage/irritation (Category 2B), H320
Carcinogenicity (respiratory) (Category 1A), H350
Specific target organ toxicity, repeated exposure (Lungs) (Category 2) H373

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s)

H315 Causes skin irritation
H320 Causes eye irritation
H350 May cause cancer
H373 May cause damage to organs through prolonged or repeated exposure

Precautionary statement(s)

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust
P280 Wash thoroughly after handling
P281 Use personal protective equipment as requires
P305 + P351 + P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present. Continue rinsing.
P308 + P313 If exposed or concerned, get medical advice/ attention.
P332 + P313 If skin irritation occurs, get medical advice/attention.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS number	%
Natural sand and stone	None	97 - 99
Quartz (crystalline silica)	14808-60-7	>1

4. FIRST AID MEASURES**Description of first aid measures****If inhaled**

Remove person to fresh air. Contact a physician if irritation persists or later develops.

In case of skin contact

Wash off with soap and plenty of water. Remove contaminated clothing. Contact physician if irritation persists

In case of eye contact

Immediately flush eye(s) with plenty of clean water for at least 15 minutes, while holding the eyelid(s) open. Occasionally lift the eyelid(s) to ensure thorough rinsing. Beyond flushing, do not attempt to remove material from eye(s). Contact a physician if irritation persists or later develops.

If swallowed

If person is conscious do not induce vomiting. Give large quantity of water and get medical attention. Never attempt to make an unconscious person drink.

4.1 Most important symptoms and effects, both acute and delayed

Dust may irritate the skin and respiratory tract. Breathing silica-containing dust for prolonged periods in the workplace can cause lung damage and a lung disease called silicosis. Symptoms of silicosis may include (but are not limited to) shortness of breath, difficulty breathing with or without exertion; coughing; diminished work capacity; diminished chest expansion; reduction of lung volume; right heart enlargement and/or failure.

4.2 Indication of any immediate medical attention and special treatment needed

Pre-existing medical conditions that may be aggravated by exposure include disorders of the eye, skin, and lungs, including asthma and other breathing disorders). Smoking will impair the ability of the lungs to clear themselves of dust.

5. FIREFIGHTING MEASURES**5.1 Extinguishing media****Suitable extinguishing media**

This product is not flammable. Use extinguishing agents suitable for surrounding materials.

Unsuitable extinguishing media

None

5.2 Special hazards arising from the substance or mixture

Contact with powerful oxidizing agents may cause fire and/or explosions (see section 10 of SDS).

5.3 Advice for firefighters

No unusual fire or other hazards exist.

5.4 Further information

The presence of this material in a fire does not hinder the use of any standard extinguishing medium. Use extinguishing medium for surrounding fire.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin. Wear appropriate protective equipment as described in Section 8.

Environmental precautions

None

Methods and materials for containment and cleaning up

Avoid dry sweeping which creates dust. Apply water spray and place wet material in appropriate container.

Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

Precautions for safe handling

Respirable crystalline silica-containing dust may be generated during processing, handling, and storage. Use all appropriate measures of dust control or suppression, and Personal Protective Equipment (PPE) described in Section 8.

Conditions for safe storage, including any incompatibilities

Avoid dust formation

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Component	OSHA/MSHA PEL	ACGIH TLV	NIOSH REL
Respirable Crystalline Silica (quartz) CAS 14808-60-7	TWA: 0.3mg/m ³ Total Dust TWA: 0.1mg/m ³ Respirable	TWA: 0.025 mg/m ³ Respirable	TWA: 0.05 mg.m ³ Respirable

8.2 Exposure controls

Appropriate engineering controls

Use local exhaust or general dilution ventilation to control exposure within acceptable limits.

8.3 Personal protective equipment

Eye/face protection

Wear appropriate protective eyeglasses with side shields or goggles.

Skin protection

Normal work clothing (long sleeved shirts and long pants) is recommended. After working with product, workers should clean their skin with soap and water.

Respiratory protection

Avoid actions that generate dust. Wear NIOSH or MSHA approved particulate filter respirator when ventilation controls are inadequate to maintain applicable exposure levels.

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a. Appearance	Form: Solid, granular mixture	Color: Various
b. Odor	odorless	
c. pH	Not applicable	
d. Melting/Freezing point	Not applicable	
e. Initial boiling point & range	Not applicable	
f. Flash point	Not applicable	
g. Evaporation rate	Not applicable	
h. Flammability (solid, gas)	Not applicable	
i. Upper/Lower flammability	Not applicable	
j. or explosive limits		
k. Vapour pressure	Not applicable	
l. Vapour density	Not applicable	
m. Specific Gravity	Not applicable	



A U.S. CONCRETE COMPANY

- | | |
|-------------------------|----------------|
| n. Water solubility | Not applicable |
| o. Auto-ignition temp. | Not applicable |
| p. Decomposition temp. | Not applicable |
| q. Explosive properties | Not applicable |
| r. Oxidizing properties | Not applicable |

Other safety information

No data available

10. STABILITY AND REACTIVITY

Reactivity

Not reactive

Chemical stability

Stable under normal conditions.

Possibility of hazardous reactions

None

Conditions to avoid

None

Incompatible materials

None

Hazardous decomposition products

None

11. TOXICOLOGICAL INFORMATION

Component Analysis – LD 50/LC 50 (quartz 14808-60-7)

Oral LD 50 Rat 500 mg/kg

Acute toxicity

Not expected to be acutely toxic

Skin corrosion/irritation

Causes irritation through mechanical abrasion

Serious eye damage/eye irritation

Causes eye irritation

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

Respirable crystalline silica has been classified by the IARC and NTP as a known human carcinogen, and classified by the ACGIH as a suspected human carcinogen

Reproductive toxicity

No data available

Symptoms related to physical, chemical and toxicological characteristics

Dust: Discomfort in the chest, shortness of breath, coughing

Aspiration hazard

Not expected to be an aspiration hazard

12. ECOLOGICAL INFORMATION

Toxicity

This product is not reported to have any ecotoxicity effects. Dust can cause soiling and damage sensitive vegetation after prolonged exposure. Discharging sand and fines into waters may increase total suspended particulates (TSP) levels that can be harmful to certain aquatic organisms.

Persistence

Not applicable



A U.S. CONCRETE COMPANY

Bioaccumulative potential

Not applicable

Mobility in soil

Not applicable

Other adverse effects

Not applicable

13. DISPOSAL CONSIDERATIONS

Dispose of in a manner consistent with applicable federal, state, and local regulations. Prevent from entering drainage, sewer systems, and unintended bodies of water. It is the responsibility of the user to determine, at the time of disposal, whether product meets criteria for hazardous waste.

14. TRANSPORT INFORMATION

DOT (US)

UN number: Not regulated

Proper shipping name: Not regulated

Packing Group: Not Regulated

Hazard Class: Not regulated

15. REGULATORY INFORMATION

TSCA Status

Not listed

§302 Components

Not listed

§304 Components

Not listed

§313 Components

Not listed

California Prop. 65

This product contains chemicals known to the State of California to cause cancer.

State Right To Know Components

Quartz (14808-60-7) is listed on the following State's Right to Know lists; Massachusetts, Minnesota, New Jersey and Pennsylvania.

16. OTHER INFORMATION

USC Technologies, Inc. makes no representations or warranties either express or implied, of merchantability, fitness for a particular purpose or of any other nature regarding this information, and nothing herein waives any of USC Technologies, Inc.'s conditions of sale. Buyer assumes risks of use, storage and handling. USC Technologies, Inc. shall not be liable for any incidental or consequential damages arising directly or indirectly in connection with the purchase, use, storage and handling of this product.

USC Technologies, Inc. shall not be responsible for the use of any information, product, method, or apparatus herein presented, and you must make your own determination as to its suitability and completeness for your own use, for the protection of the environment, and for health and safety purposes. You assume the entire risk of relying on this Information. In no event shall USC Technologies, Inc. be responsible for damages of any nature whatsoever resulting from the use of this product or products, or reliance upon this information. By providing this information, USC Technologies, Inc. neither can nor intends to control the method or manner by which you use, handle, store, or transport USC Technologies, Inc. products. This information is not to be taken as a license to operate under, or a recommendation to infringe any patent(s). The observance of all regulations and patents is the responsibility of the user. No agent, representative or employee of this company is authorized to vary any terms of this notice. This information could include technical inaccuracies or typographical errors.